

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((voltage adj regulator) and (level adj (shift\$3 or translat \$3 or convert\$3)) and (first near2 voltage) and (second near2 voltage) and (critical near2 voltage) and (power adj consumption)).clm.	US-PGPUB	OR	ON	2008/06/18 18:35
L2	2	((voltage adj regulator) and (level adj (shift\$3 or translat \$3 or convert\$3)) and (critical near2 voltage) and (power adj consumption)).clm.	US-PGPUB	OR	ON	2008/06/18 18:35
L3	7	((voltage adj regulator) and (level adj (shift\$3 or translat \$3 or convert\$3)) and voltage and (power adj consumption)).clm.	US-PGPUB	OR	ON	2008/06/18 18:36
L4	2	((voltage adj regulator) and (level adj (shift\$3 or translat \$3 or convert\$3)) and voltage and (power adj consumption) and (communication adj link)).clm.	US-PGPUB	OR	ON	2008/06/18 18:36
L5	2	((voltage adj regulator) and (level adj (shift\$3 or translat \$3 or convert\$3)) and voltage and (power adj consumption) and (communication adj link) and interface).clm.	US-PGPUB	OR	ON	2008/06/18 18:37

6/ 18/ 08 6:39:42 PM

C:\Documents and Settings\DChang\My Documents\EAST\Workspaces\10773427.
wsp